533 Rec'd PCT/PTO 27 SEP 2001 RM PTO-1390 (Modified) EV 11-985 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARI TRANSMITTAL LETTER TO THE UNITED STATES 11164 DESIGNATED/ELECTED OFFICE (DO/EO/US) U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR CONCERNING A FILING UNDER 35 U.S.C. 371 193 INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED PCT/DE00/01604 May 17, 2000 05/18/1999 199 22 676.8 TITLE OF INVENTION METHOD FOR THE SERIAL PICKING UP OF POUCHES APPLICANT(S) FOR DO/EO/US Peter KALISCH; Wolfgang SCHUTZ; Meinhard PROTZ Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information: This is a FIRST submission of items concerning a filing under 35 U.S.C. 371. 2 This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371. 3 This is an express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 4 5 A copy of the International Application as filed (35 U.S.C. 371 (c) (2)) is transmitted herewith (required only if not transmitted by the International Bureau). has been transmitted by the International Bureau. c. 🗆 is not required, as the application was filed in the United States Receiving Office (RO/US). A translation of the International Application into English (35 U.S.C. 371(c)(2)). П A copy of the International Search Report (PCT/ISA/210). 8 Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3)) are transmitted herewith (required only if not transmitted by the International Bureau). have been transmitted by the International Bureau. have not been made; however, the time limit for making such amendments has NOT expired. c. 🗆 have not been made and will not be made. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 10. An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)) 11. A copy of the International Preliminary Examination Report (PCT/IPEA/409). 12. A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)). Items 13 to 20 below concern document(s) or information included: An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 14 An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 15 A FIRST preliminary amendment. A SECOND or SUBSEQUENT preliminary amendment 16 17. A substitute specification. 18 A change of power of attorney and/or address letter. 19. X Certificate of Mailing by Express Mail 20 П Other items or information

410 Rec'd PCT/PTO 2 7 SEP 2001

U.S. APPLICAT	LIOM	10 (II	KNOWI	J. SEE.	32-CER '	INT	ERNATIONAL	APPLICAT	ION N	IO.			ATTORNEY'S	DO	OCKET NUMBER
•	U	7/	75	19	52		PCT/E	E00/016	04				1	11	64
21. Th	ne foll	owing	fees are	subm	itted:.							CA	LCULATION	s	PTO USE ONLY
BASIC NATIO						- (5)) :						-		_	
internat	tional	search	fee (37	CFR 1	l.445(a)(2)) paid to	7 CFR 1.482) USPTO EPO or JPO .	nor		\$1,00	00.00				
	tional	prelim	inary ex	amina	tion fee (3	7 CFR	1.482) not paid the EPO or JPC	l to		S80	50.00				
☐ Internat	tional	prelim	inary ex	amina	tion fee (3	7 CFR	1.482) not paid iid to USPTO .	to USPTO)		10.00				
☐ Internat	tional	prelim	inary ex	amina	tion fee pa	id to U	SPTO (37 CFR cle 33(1)-(4).	(1.482)			90.00				
☐ Internat	tional	prelim	inary ex	amina	tion fee pa	aid to U	SPTO (37 CFR	(1.482)			00.00				
and an	Cianti						BASIC FI		OUN				\$860.00		
Surcharge of \$ months from th	130.00 ne earl	for fi	irnishin	g the c	ath or dec	laration CFR 1.4	later than 92 (e)).	□ 2	0	□ 3	0		\$0.00		
CLAIMS			NUMI				NUMBER EX	TRA		RATI					
Total claims					- 20 =		0		х	\$18.0			\$0.00	L	
Independent cl	aims				- 3=		0		х	\$80.0	00		\$0.00	L	
Multiple Depe	endent	Claim	s (checl						<u></u>				\$0.00	L	
		L_					OVE CAL				=		\$860.00	L	
Reduction of I must also be fi	/2 for iled (N	filing Note 3	by sma CFR 1	9, 1.2	y, if applic 7, 1.28) (c	table. V	erified Small I applicable).	Entity Star	temen	l			\$0.00		
								SUB	тот	`AL	=		\$860.00		
Processing fee months from th	of \$13	30.00 f	or furni	shing iority	the English date (37 C	h transla CFR 1.4	tion later than 92 (f)).	□ 2	0	□ 3	0 +		\$0.00		
						TO	OTAL NAT	TIONAL	L FE	E	=		\$860.00	Н	
ee for recordi	ng the	enclo pprop	sed assi;	gnmen er she	t (37 CFR et (37 CFF). The assignm 3.31) (check it						\$0.00		
						TO	TAL FEES	ENCL	OSI	CD.	=		\$860.00		
												Amo	unt to be: efunded	\$	
													charged	\$	
☐ Please	charg	e my l	ount of Deposit of this s	Accou		to c	over the above	fees is end				to	cover the above	ve i	fees.
to Dep	oosit A	ccour	t No. oriate ti	04- me lin	1415 ait under :	A dup	any fees which licate copy of t	his sheet is	s enclo	sed.			erpayment revive (37 CF	R	
1.137(a) or (b))) mus	t be fi	led and	grant	ed to rest	ore the	application to	pending	tatus.						
SEND ALL CO		SPON	DENCE	TO:				7		C	e.c	nece	1 Xonis	te	2
Leonard J. S. Dorsey & Wi	hitney							İ	SIG	NAT	URE		\mathcal{O}		
Republic Plan 370 17th St.,									Lee	nar	1 J. S	antisi			
Denver, Colo									NA	ME					
								1	24.	135					
											RATIO	N NO	JMBER		
											ber 2				
									DA		oei 2.	, 200	•		
								ı	DΑ	1 E					

15

PATENT

ATTORNEY DOCKET 11164

METHOD FOR THE SERIAL PICKING UP OF POUCHES

BACKGROUND OF THE INVENTION

This invention relates to a method for picking up and handling filled and sealed, rectangular bags or film packs, also known as pouches, which have a bottom side provided with a bottom fold and two longitudinal sides. In the sense of the present invention the term "handling" relates to any random conveying, supplying,

5 transferring, sorting, intermediate storing, etc.

The invention is in the field of the manufacture and further processing of pouches filed with (animal) foods. The previously manufactured tubular pouches are filled in special filling and sealing mechanisms with an ingredient or component and are then closed and sealed and subsequently usually undergo a sterilization before the finished products are packed.

Since it has proved advantageous for various reasons for the pouches to stand during sterilization on one of the longer lateral edges or longitudinal sides, i.e., with a main extension plane containing the pouch lateral edges being substantially vertical and the longer lateral edges substantially horizontal, the problem arises of simultaneously reliably mechanically gripping or picking up a plurality of parallel pouches arranged in a row, in order to hold the pouches or perform a handling movement therewith.

BRIEF SUMMARY OF THE INVENTION

The invention solves this problem by a method for picking up and handling filled and sealed, rectangular pouches, which have a bottom side and two longitudinal sides and are provided on the bottom side with a bottom fold. The pouches, standing on one of

15

20

25

the longitudinal sides are arranged in parallel and in a row and are in each case picked up on an opposite (upper) longitudinal side with a gripper mechanism having comblike, finger-like gripper elements. The gripper elements are movable between the upper longitudinal sides of adjacent pouches. The gripper elements are moved in the longitudinal direction of the upper longitudinal sides from the bottom side and pass the latter between adjacent longitudinal sides.

Through the combination of two essential measures, namely the arrangement of the pouches standing or lying on one longitudinal side and the introduction or "threading" movement of the gripper mechanism taking place from the side, a much more reliable picking up of the bag edge occurs than in the case of a picking up movement from above, even if, as a result of a preceding heat treatment, the bag edge may be slightly folded around or bent down.

It is possible to simultaneously grip a row of 5 to 100 or more pouches. The spacing between adjacent pouches in a row can be less than the thickness of a single pouch, i.e., the pouches can be juxtaposed virtually with no gap.

It is appropriate for the pouches to be gripped in clamping manner, i.e., for the gripper mechanism to have for each pouch to be picked up a pair of gripper jaws, where at least one is movable or has a movable element or between which a longitudinal side of a pouch can be gripped in clamping manner. Alternatively, the longitudinal sides of the ouches can be engaged by vacuum.

Preferably, the pouches are gripped in an orientation in which a main extension plane containing the lateral edges of the pouches is inclined to the vertical by an angle of less than 60°. The main extension plain is preferably arranged in a substantially vertical manner. Appropriately, the longitudinal side on which each pouch stands is horizontally oriented.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is described in greater detail hereinafter relative to an embodiment and with reference to the attached drawings, wherein:

Figure 1 is a diagrammatic, perspective view of the essential components of a known pouch with bottom fold.

Figure 2 is a cross-sectional view of a pouch according to Figure 1 in the collapsed state.

Figure 3 is a cross-sectional view of a filled, sealed pouch according to Figure 1.

Figure 4 is a highly diagrammatic, perspective view of a device for picking up a row of pouches.

DETAILED DESCRIPTION OF THE INVENTION

With initial reference to Figure 1, the construction of a know pouch, e.g., for animal foods will be explained. The pouch 10 essentially comprises two lateral films 1, 2 with a rectangular base shape and which receive between them in their lower or bottom area a U-shaped folded bottom film. An upper sealing seam 4, lateral sealing seams 5 and 6, as well as two bottom sealing seams 7 are used for forming a closed pouch interior and a reinforced bottom section, which apart from an increased pouch capacity has the advantage that the pouch is stable in the filled state.

15 Figures 2 and 3 illustrate the cross-sectional shape of an empty pouch and one filled with a product 11.

During the manufacturing process of completely filled and sterilized pouches they must generally be introduced into, and removed from, suitable carrier mechanisms. For the extensive automation of the manufacturing process use is made for the removal of all the pouches in a carrier mechanism of a gripper mechanism. The carrier mechanism has a plurality of juxtaposed gripper elements, whose number corresponds to that of the pouches to be picked up and whose reciprocal spacing also coincides with the given spacing of the pouches in the carrier mechanism.

Figure 4 diagrammatically shows such a comb-like gripper mechanism 20, which has a row of finger-like gripper elements 22. As shown in Figure 4, for each of the pouches 10 held in a carrier mechanism (not shown in a detailed manner) there is a

10

15


pair of gripper elements 22, which are appropriately fitted to a gripper carrier 25. The gripper elements 22 (or in each case one pair) are movable and may be operated by compressed air. Alternatively in one or two gripper elements of a pair is an extensible piston or some other clamping element is provided to grasp the lateral edge of a pouch to be picked up in a clamping manner.


According to the invention, the gripper mechanism 20 is moved in the direction of the arrow 26 in a linear manner to the pouches 10. The gripper elements 22 are level with the upper lateral edges or longitudinal sides 13 of the pouches 10. According to the invention, the pouches 10 for the picking up or "threading" movement of the gripper mechanism 20 are arranged so that the bottom sides 14 of the pouches are directed towards the gripper mechanism 20. From the bottom side, the gripper elements 22 initially move past the corner (pointing to the top right in Figure 4) between the bottom side 14 and longitudinal side 13 and then over or alongside the upwardly standing longitudinal sides 13, so that an adequate part of the longitudinal side 13 can be engaged. The tendency of the bottom side 14 or longitudinal side 13 in the vicinity of the bottom side 14 to fold round is much less than on a pouch top side 16 opposite to the bottom side 14. Thus a much more reliable gripping of the longitudinal side 13 is achieved, even if the latter is zonally bent or folded round, as compared with a movement of the gripper mechanism 20, where it is lowered from above or is "threaded" from the side 1 opposite to the bottom side 14.


20

WHAT IS CLAIMED IS:

- 1. A method for picking up and handling filled, sealed rectangular pouches which have two longitudinal sides and a bottom side with a bottom fold and where the pouches are positioned standing on one of the longitudinal sides and being arranged in parallel array with facing longitudinal sides comprising picking up said pouches with a gripper mechanism having a comb-like gripper elements with said gripper elements being moved between the sides of adjacent pouches in a longitudinal direction past the bottom sides of the pouches between adjacent longitudinal sides of the pouches.
- $2. \qquad \text{The method according to claim 1 wherein a row of 5 to } 100\\ 10 \qquad \text{pouches is simultaneously gripped.}$
 - The method according to claim 1 wherein the distance between adjacent pouches in a row is smaller than the thickness of a single pouch.
 - The method according to claim 1 wherein the pouches are gripped in clamping manner.
 - 5. The method according to claim 1 wherein the pouches are gripped by vacuum.
 - 6. The method according to claim 1 wherein the pouches are gripped in an orientation where a main extension plane containing the lateral edges of the pouches is inclined to the vertical by an angle of less than 60°.
- The method according to claim 6 wherein the main extension plane is substantially vertical.
 - 8. The method according to claim 1 wherein the longitudinal side on which each pouch stands has a horizontal orientation.







the specification of which

(check one)

DEC: 1 0 2008

Docket No. 11164

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD FOR THE SERIAL PICKING UP OF POUCHES

■ was filed on SEP	TEMBER 27, 2001	as United States Application No	. or PCT International
Application Numb	er		
and was amende	d on		
		(if applicable)	
		derstand the contents of the above mendment referred to above.	identified specification,
		United States Patent and Trademar lity as defined in Title 37, Code of	
Section 365(b) of an any PCT Internationa listed below and have	y foreign application(all application which de a also identified below or PCT International a	nder Title 35, United States Code, s) for patent or inventor's certificate signated at least one country other to by checking the box, any foreign a pplication having a filing date before	e, or Section 365(a) of han the United States, pplication for patent or
Prior Foreign Applicat	tion(s)		Priority Not Claimed
199 22 676.8	Germany	05/18/99	
(Number)	(Country)	(Day/Month/Year Filed)	_
(Number)	(Country)	(Day/Month/Year Filed)	
(Number)	(Country)	(Day/Month/Year Filed)	<u> </u>

a	oplication(s) listed below:								
_	(Application Serial No.)	(Fi	ling Date)						
	(Application Serial No.)	(Fi	ling Date)						
_	(Application Serial No.)	(Fi	ling Date)						
S	hereby claim the benefit under a ection 365(c) of any PCT Interna sofar as the subject matter of each	tional applica ach of the c	ation designation designation	gnating	the I	Unite	d State	s, listed	below and,
UUOS	nited States or PCT International.S.C. Section 112, I acknowledg ffice all information known to mection 1.56 which became availat PCT International filing date of the (Application Serial No.)	e the duty to e to be mate ole between t is application	disclose erial to pa the filing o	to the Latentabil	Jnite lity a	led b d Sta as de prior a	y the fil ates Pat efined i applicati	rst para- tent and n Title 3 ion and (Status)	graph of 35 I Trademark 37, C. F. R., the national
UUOSO	.S.C. Section 112, I acknowledg ffice all information known to m ection 1.56 which became available PCT International filing date of the (Application Serial No.)	e the duty to e to be mate ble between to is application (Fil	disclose erial to pa the filing on: n: ing Date)	to the Latentabil	Jnite lity a	led b d Sta as de prior a	y the fil ates Pat applicati	rst para- cent and n Title 3 con and Status)	graph of 35 I Trademark 37, C. F. R.,
	.S.C. Section 112, I acknowledg ffice all information known to m ection 1.56 which became availab PCT International filing date of th	e the duty to e to be mate ble between to is application (Fil	disclose erial to pa the filing on:	to the Latentabil	Jnite lity a	led b d Sta as de prior a	y the fil tes Pat fined i applicati	rst para- rent and n Title 3 ion and Status) Status)	graph of 35 I Trademark 37, C. F. R., the national

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

(patented, pending, abandoned)

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (list name and registration number)

Leonard J. Santisi, Reg. No. 24,135

Send Correspondence to:

rect Telephone Calls to: (name and telephone number) nard J. Santisi (303) 629-6368	
Full name of sole or first inventor Peter KALISCH	
Sole or first inventor's signature X Pet Kolz	AS. AA
Residence Schonhausenstr Schoenhausenstl. 64	
Citizenship German	
Dost Office Address 28203 Bremen, Germany	

Full name of second inventor, if any Wolfgang SCHUTZ

Second inventor's signature

Date

16.11.c

Residence
Moorstr. 356

Citizenship
German

Post Office Address
27336 Rethem/Moor, Germany

Full name of third inventor, if any Meinhard PROTZ	_	
Third inventor's signature	Meila Rot	79.11.01
Residence Holunderstr. 3	, , , ,	
Citizenship German		
Post Office Address 29699 <u>Bomlitz,</u> Germany DEX		
Full name of fourth inventor, if any		
Fourth inventor's signature		Date
Residence		- Date
Citizenship		
Post Office Address		
Full name of fifth inventor, if any	· · · · · · · · · · · · · · · · · · ·	
Fifth inventor's signature		Date
Residence		
Citizenship		
Post Office Address		
Post Office Address		
Full name of sixth inventor, if any		
		Date
Full name of sixth inventor, if any		Date
Full name of sixth inventor, if any Sixth inventor's signature		Date
Full name of sixth inventor, if any Sixth inventor's signature Residence		Date